

Health expectancies in Europe: a typology of gender gaps

Jean-Marie Robine for the EHLEIS Group





Since 2004/2005

Life expectancy in good perceived health

How is your health in general? Is it... Very good + Good

Life expectancy without chronic disease

Do you have any chronic illness or condition? No


Life expectancy without activity limitation

For at least the past 6 months, to what extent have you been limited because of a health problem in activities people usually do? Not limited at all





Life expectancy (LE) at age 65, LE without activity limitation, LE without chronic morbidity and LE in good perceived health – EU25 (health data from EU-SILC 2005-2011)






Gaps in life expectancy and in life expectancy without activity limitation for the Members States of the European Union – EU27 (health data from EU-SILC 2010)

ity limitation


Country	Men	Women	
LUXEMBOURG	[9.83-11.16}	[11.49-13.31}	*
SWEDEN	[13.58-14.67}	[14.84-16.1}	*
BULGARIA	[8.5-9.15}	[9.56-10.21}	*
DENMARK	[11.18-12.5}	[12.06-13.58}	ns
U. K.	[10.47-11.34}	[11.34-12.27}	*
FRANCE	[8.58-9.38}	[9.38-10.3}	*
POLAND	[6.44-7.06}	[7.22-7.86}	*
LATVIA	[4.48-5.22}	[5.22-5.89}	*
SLOVENIA	[6.01-7.17}	[6.64-7.83}	ns
HUNGARY	[5.01-5.73}	[5.54-6.18}	ns
LITHUANIA	[5.98-6.74}	[6.29-7.08}	ns
CZECH REPUBLI			























Life expectancy at age 65 with and without activity limitation, with and without chronic morbidity and life expectancy in good perceived health – EU27 (health data from EU-SILC 2010)

Expected years at age 65

- Without activity limitation
- With moderate activity limitation
- With severe activity limitation

Expected years at age 65

- Without chronic morbidity
- With chronic morbidity

Expected years at age 65

- In very good or good perceived health
- 📒 In fair perceived health
- In bad or very bad perceived health

Sources : Joint-Action EHLEIS, www.eurOhex.eu


8.8 (41.8%)		7.2 (34.3%)		5.0 (23.9%)	
8.6 (48.9%)		5.6 <i>(31.6%)</i>	3.4	.(19.4%)	
,		,			
7.6 (36.0%)		13.5 <i>(64.0%)</i>			
6.7 (38.5%)		10.8 <i>(61.5%)</i>			
7.1 (33.8%)		8.8 (41.8%)		5.2 (24.5%)	
6.8 (39.0%)		7.1 (40.7%)	26	(20.3%)	





United Kingdom 2005


Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for United Kingdom (Health data from SILC 2005)





United Kingdom 2009

Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for United Kingdom (Health data from SILC 2009^P)



P = provisional values





United Kingdom 2011

Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for United Kingdom (Health data from SILC 2011^P)

Life Expectancy at age 65 and expected years

Without activity limitation

With moderate activity limitation

With severe activity limitation

Life Expectancy at age 65 and expected years

Without chronic morbidity

With chronic morbidity


Life Expectancy at age 65 and expected years

In very good or good perceived health
 In fair perceived health

In fair perceived nearth

In bad or very bad perceived health


P = provisional values








Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for France (Health data from SILC 2005)







Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for France (Health data from SILC 2009^p)











Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for France (Health data from SILC 2010)











Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Poland (Health data from SILC 2005)








Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Poland (Health data from SILC 2009^p)








Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Portugal (Health data from SILC 2005)







Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Portugal (Health data from SILC 2009^P)



^P = provisional values





Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Portugal (Health data from SILC 2010)

Life Expectancy at age 65 and expected years

Without activity limitationWith moderate activity limitation

With severe activity limitation


Life Expectancy at age 65 and expected years

Without chronic morbidity

With chronic morbidity

Life Expectancy at age 65 and expected years


- In very good or good perceived health
- In fair perceived health
- In bad or very bad perceived health







Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Spain (Health data from SILC 2005)








24

Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Spain (Health data from SILC 2009^p)




^P = provisional values






Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Cyprus (Health data from SILC 2005)








Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Cyprus (Health data from SILC 2009^p)







Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Cyprus (Health data from SILC 2011^P)



- Without activity limitation
- With moderate activity limitation
- With severe activity limitation


Life Expectancy at age 65 and expected years

- Without chronic morbidity
 With chronic morbidity

Life Expectancy at age 65 and expected years

- In very good or good perceived health
- In fair perceived health
- In bad or very bad perceived health

^P = provisional values







Discussion





Since 2004/2005

The Euro-SILC survey

Far from perfect, breaks (i.e. 2008), cultural differences - gender gaps

Sweden & Luxembourg

Are the changes between 2005 and 2010 in favour of women real?

Country profiles

Three profiles: in the majority of European countries women are living the same amount of time in good health than men

Persistent patterns

In France and in UK women are living longer in good health In Portugal and in Cyprus, women are living shorter in good health



Thank you for your attention!






www.eurohex.eu





Life expectancy (LE) at age 65, LE without activity limitation, LE without chronic morbidity and LE in good perceived health – EU25 (health data from EU-SILC 2005-2010)




dity





Increase in life expectancy (LE) at age 65 EU25 (health data from EU-SILC 2005-2011)




dity






Little changes in LE without activity limitation at age 65 EU25 (health data from EU-SILC 2005-2011)




dity





Marked increase in LE without chronic morbidity at age 65 EU25 (health data from EU-SILC 2005-2011)




dity





Decrease in LE in good perceived health at age 65 EU25 (health data from EU-SILC 2005-2011)



dity

