



Pseudo-cohort analysis of British smoking data

Melissa Davy
Office for National Statistics
United Kingdom

Why research about smoking?

- Smoking largest cause of preventable deaths in UK
- Main contributor to higher death rates in the **manual** compared with **non-manual** group

Analysis

- Previous method:
time trends
- New method:
Pseudo-cohort analysis

What is pseudo-cohort analysis?


- Cohort analysis
 - panel data
 - same individual
- Pseudo-cohort analysis
 - cross-sectional data
 - average experience of a given cohort
- For example
 - aged 20 to 25 in a 1980 survey
 - = 21 to 26 in 1981
 - = 22 to 27 in 1982
 - = 44 to 49 in 2004.

General Household Survey

- High quality
- Cross-sectional survey
- Great Britain
- Annual data from 1972
- Government source of smoking data
- Large-scale (364,000 in this study)

Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage



Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men

Percentage




Smoking among men


Percentage




Smoking among men born about 80 years ago



Smoking among men born about 50 years ago




Smoking among men born about 50 years ago




Predicting future trends

- Future predictions unreliable
- Useful to theorise
- Unknowns:
 - 1) What happens when current cohorts age.
 - 2) Those born after 1985

Possible future trends?



Possible future trends?



Socio-economic inequalities – main findings

Manual were always more likely to smoke than non-manual

- **People born in first half of the 20th century:**

High rates of taking up smoking

Manual & non-manual gave up at similar rates

- **People born in second half of the 20th century:**

Less likely to start smoking

Manual & non-manual gave up at different rates

Manual smokers - vast majority don't give up

Pseudo-cohort analysis:

- Tells us much more than just time trend data
- Disentangles impact of earlier from recent cohorts
- Throws light on future smoking trends

Publications

- **Davy M** (2006) Time and generational trends in smoking among men and women in Great Britain, 1972-2003/04, *Health Statistics Quarterly* 32, pp.35-43.
- **Davy M** (2007) Socio-economic inequalities in smoking: an examination of generational trends in Great Britain, *Health Statistics Quarterly* 34.
(To be published on the 24th May 07)
- www.statistics.gov.uk/statbase/Product.asp?vlnk=6725